

SAFETY DATA SHEET

Issuing Date 29-Jun-2015

Revision Date 07-May-2018

Revision Number 1

(U)

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION		
Product identifier		
Product Name	EZY TURN™ 196	
Other means of identification		
Product Code(s)	950	
Synonyms	JET-LUBE EZY TURN™ 196, ILEX EZY TURN™ 196	
Recommended use of the chemical and restrictions on use		
Recommended Use	For industrial use only	
Uses advised against	No information available	
Details of the supplier of the safety	y data sheet	
Supplier Identification	Jet-Lube LLC	
Address	Jet Lube LLC 930 Whitmore Drive Rockwall, Texas USA 75087 TEL: +1-713-670-5700 (8am-5pm CST)	
Telephone	US Office: Phone:+1-972-771-1000 Fax:+1-972-722-2108	
E-mail	Sales@jetlube.com	
Emergency telephone number		
Company Emergency Phone Number	1-800-699-6318	
Emergency Telephone Number	CHEMTREC: +1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)	

2. HAZARDS IDENTIFICATION

Classification

Skin sensitization

Category 1



Appearance Yellow

Physical state Paste / Gel

Odor Oily

GHS Label elements, including precautionary statements

Warning

Hazard statements

May cause an allergic skin reaction



Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace Wear protective gloves

Precautionary Statements - Response

Specific treatment (see supplemental first aid instructions on this label) Skin

IF ON SKIN: Wash with plenty of water and soap If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Unknown acute toxicity 91.2 % of the mixture consists of ingredient(s) of unknown toxicity

89.1 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

91.2 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

91.2 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

91.2 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

91.2 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Synonyms

JET-LUBE EZY TURN™ 196, ILEX EZY TURN™ 196

Chemical name	CAS-No	Percent	Hazardous Material	Date HMIRA filed and
			Information Review Act	date exemption granted
			registry number (HMIRA	(if applicable)
			registry #)	



Mica	12001-26-2	15-20	-	-
Silicon dioxide	7631-86-9	5-10	-	-
Glycerin	56-81-5	2-5	-	-
1,3,4-Thiadiazole,	13539-13-4	0-1	-	-
2,5-bis(octyldithio)-				

	4. FIRST AID MEASURES
First aid measures	
General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Most important symptoms and effe	ects, both acute and delayed
Symptoms	Itching. Rashes. Hives.
Indication of any immediate medic	al attention and special treatment needed
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	CAUTION: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.
Hazardous Combustion Products	Carbon oxides.
Explosion Data Sensitivity to Mechanical Impac Sensitivity to Static Discharge	t None. None.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions	
Environmental precautions	See Section 12 for additional Ecological Information.
Methods and material for containm	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.
Conditions for safe storage, including any incompatibilities	
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name		ACGIH T	LV	0	SHA PEL		NIOSH IDLH
Mica		TWA: 3 mg	g/m³	TWA: 20 mp	pcf (<1% crystalline	IDLH	l: 1500 mg/m ³ containing
12001-26-2					silica)		<1% quartz
					m ³ (vacated)		: 3 mg/m ³ respirable dust
Silicon dioxide		10 mg/m	1 ³	20 mppcf T\	NA; ((80)/(% SiO2)		IDLH: 3000 mg/m ³
7631-86-9					mg/m³)		TWA: 6 mg/m ³
Glycerin		TWA: 10 mg/r	n³ mist		-		-
56-81-5		-					
Chemical name		Alberta	British C	Columbia	Ontario TWAE	V	Quebec
Mica	٦	TWA: 3 mg/m³	TWA: 3	3 mg/m³	TWA: 3 mg/m	3	TWA: 3 mg/m ³
12001-26-2				-			
Glycerin	Т	WA: 10 mg/m ³	TWA: 1	0 mg/m³			TWA: 10 mg/m ³
56-81-5		-	TWA: 3	8 mg/m ³			_

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering controls

Showers Eyewash stations

.



Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand protection	Wear suitable gloves. Nitrile rubber. Neoprene gloves. Viton™.
Skin and body protection	Wear suitable protective clothing. Lightweight protective clothing. Long sleeved clothing. Chemical resistant apron.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties Physical state Appearance Odor Color Odor Threshold	Paste / Gel Yellow Oily No information available Not applicable	
Property pH	<u>Values</u> 7	Remarks Method
Melting / freezing point	No data available	None known
Boiling point / boiling range	316	None known
Flash Point	260	None known
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1.18	
Water Solubility	Insoluble	
Solubility(ies)	No data available	None known
Partition coefficient: n-octanol/water	Not Applicable	
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive properties	No information available	
Oxidizing properties	No information available	
Other Information		
Softening Point	No information available	
Molecular Weight	No information available	
VOC Content (%)	No information available	
Liquid Density	No information available	
Bulk Density	No information available	
Particle Size	No information available	
Particle Size Distribution	No information available	

10. STABILITY AND REACTIVITY

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous Polymerization	Hazardous polymerization does not occur.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available. May cause sensitization by skin contact. (based on components). Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion	Specific test data for the substance or mixture is not available.

Information on toxicological effects

Symptoms

Itching. Rashes. Hives.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document . 65,400.00 mg/kg ATEmix (oral)

Unknown acute toxicity

91.2 % of the mixture consists of ingredient(s) of unknown toxicity

89.1 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

91.2 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

91.2 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

91.2 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

91.2 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Silicon dioxide	= 7900 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2.2 mg/L (Rat)1 h
Glycerin	= 12600 mg/kg (Rat)	21900 mg/kg (Rat)	> 570 mg/m³ (Rat)1 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

No information available.



Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	May cause sensitization by skin contact.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Silicon dioxide	-	Group 3	-	-
7631-86-9				

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Silicon dioxide	72h EC50: = 440 mg/L (Pseudokirchneriella subcapitata)	96h LC50: = 5000 mg/L (Brachydanio rerio)	-	48h EC50: = 7600 mg/L
Glycerin	-	LC50 96 h: 51 - 57 mL/L static (Oncorhynchus mykiss)	-	EC50 24 h: > 500 mg/L (Daphnia magna)

Persistence and Degradability No information available.

Bioaccumulation

Chemical name		Log Pow		
Glycerin		-1.76		
Mobility	No information available.			
Other adverse effects No information available.				
13. DISPOSAL CONSIDERATIONS				
Waste treatment methods				
Waste from residues/unused productsDispose of in accordance with environmental legislation.		with local regulations. Dispose of waste in accordance with		

Contaminated packaging Do not reuse empty containers.



14. TRANSPORT INFORMATION

DOT Proper Shipping Name Hazard Class	NOT REGULATED NON-REGULATED N/A
TDG	NOT REGULATED
<u>MEX</u>	NOT REGULATED
ICAO	NOT REGULATED
IATA Proper Shipping Name	NOT REGULATED NON REGULATED
IMDG/IMO	NOT REGULATED
RID	NOT REGULATED
ADR	NOT REGULATED
<u>ADN</u>	NOT REGULATED

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories	
TSCA	Complies.
DSL/NDSL	Complies.
EINECS/ELINCS	Complies.
ENCS	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AICS	Complies.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations



<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		S			
Mica 12001-26-2	Х	Х	Х	Х	
Silicon dioxide 7631-86-9	Х	Х	Х		
Glycerin 56-81-5	Х	Х	Х	Х	

16. OTHER INFORMATION

<u>NFPA</u>	Health hazards 2	Flammability 0	Instability 0	Physical and Chemical Properties -
HMIS	Health hazards 2	Flammability 0	Physical hazards 0	Personal Protection X
Prepared By				
Issuing Date	29-Jun-20	29-Jun-2015		
Revision Date	07-May-2	07-May-2018		
Revision Note	No inform	ation available		



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

