

SAFETY DATA SHEET

Issuing Date 01-Jun-2015	Revision Date 15-Mar-2017	Revision Number 1
1. IDENTIFICATION OF THE	SUBSTANCE/PREPARATION AND	THE COMPANY/UNDERTAKING
GHS product identifier		
Product Name	POW'R KOTE®	
Other means of identification		
Product Code(s)	157	
Synonyms	JET-LUBE® POW'R-KOTE®; ILEX POW'R-P	(OTE®
Recommended use of the chemical	and restrictions on use	
Recommended Use	Lubricants, Greases and Release Products	
Uses advised against	No information available	
Supplier's details		
Manufacturer Address Jet-Lube, LLC 930 Whitmore Dr. Rockwall, Texas 75087 TEL: 972-771-1000 Toll Free: 1-800-669-6318		
Emergency telephone number		
Emergency Telephone Number	CHEMTREC: +1-703-527-3887 (INTERNATI 1-800-424-9300 (NORTH AMERICA)	ONAL)
	2. HAZARDS IDENTIFICATION	1
Classification		
This chemical is not considered hazard	dous according to the OSHA Hazard Commun	ication Standard 2012 (29 CFR 1910.1200).
GHS Label elements, including prec	autionary statements	
	Emergency Overview	
Signal Word	None	
The product contains no subs <b>Appearance</b> Black	stances which at their given concentration are <b>Physical State</b> Semi-fluid (gel).	considered to be hazardous to health Odor Petroleum Oil-Pungent

## Precautionary Statements

Prevention

#### **General Advice**

None

Storage

• None

#### Disposal

None

#### Hazard Not Otherwise Classified (HNOC)

Not applicable

## Other information

23% of the mixture consists of ingredient(s) of unknown toxicity.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS-No	Weight %	Trade secret
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	74869-21-9	65-75	*
Graphite	7782-42-5	8-10	*
Calcium Carbonate	471-34-1	5-8	*
Mica	12001-26-2	5-8	*
Molybdenum (IV) sulfide	1317-33-5	1-5	*

The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

#### Description of necessary first-aid measures

Eye ContactRinse thoroughly with plenty of water for at least 15 minutes and consult a physician.Skin ContactWash off immediately with soap and plenty of water removing all contaminated clothes and<br/>shoes.InhalationMove to fresh air.IngestionClean mouth with water and afterwards drink plenty of water. Do not induce vomiting<br/>without medical advice.Most important symptoms/effects. acute and delayed

Most Important Symptoms/Effects No information available.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician

Treat symptomatically.

## **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Water spray. Carbon dioxide (CO<sub>2</sub>). Foam. Dry powder. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

Specific Hazards Arising from the Chemical Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Burning produces obnoxious and toxic fumes. Heavy metal compounds

Explosion Data	
Sensitivity to Mechanical Impact	
Sensitivity to Static Discharge	

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

None. None.

Personal precautions. protective	equipment and emergency procedures			
Personal Precautions	Use personal protective equipment.			
Environmental Precautions				
Environmental Precautions	Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.			
Methods and materials for conta	inment and cleaning up			
Methods for Containment	Prevent further leakage or spillage if safe to do so.			
Methods for Cleaning Up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.			
	7. HANDLING AND STORAGE			
Precautions for safe handling				
Handling	Wear personal protective equipment. Ensure adequate ventilation.			
Conditions for safe storage, inclu	uding any incompatibilities			
Storage	Keep container tightly closed in a dry and well-ventilated place. Keep in a bunded area			
Incompatible Products	Strong oxidizing agents. Acetylene. Vinyl compounds.			
8. E	XPOSURE CONTROLS / PERSONAL PROTECTION			

#### **Control parameters**

### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Graphite	-	TWA: 15 mg/m <sup>3</sup> total dust	IDLH: 1250 mg/m <sup>3</sup>
7782-42-5		synthetic	TWA: 2.5 mg/m <sup>3</sup> respirable dust
		TWA: 5 mg/m <sup>3</sup> total dust	
		synthetic (vacated) TWA: 2.5	
		mg/m <sup>3</sup> respirable dust natural	
		(vacated) TWA: 10 mg/m <sup>3</sup> total	
		dust synthetic	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
		respirable fraction synthetic	
		TWA: 15 mppcf natural	

#### WPS-JLI-041US- POW'R-KOTE®

#### Revision Date 15-Mar-2017

Calcium carbonate 471-34-1	-	TWA: 15 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup> (vacated) TWA: 15 mg/m <sup>3</sup> (vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 10 mg/m3 total dust TWA: 5 mg/m3 respirable dust
Molybdenum (IV) sulfide 1317-33-5	TWA: 10 mg/m <sup>3</sup> Mo inhalable fraction TWA: 3 mg/m <sup>3</sup> Mo respirable fraction	TWA: 15 mg/m³ total dust (vacated) TWA: 10 mg/m³ Mo	IDLH: 5000 mg/m³Mo
Copper 7440-50-8	TWA: 0.2 mg/m <sup>3</sup> fume	TWA: 0.1 mg/m³ fume TWA: 1 mg/m³ dust and mist (vacated) TWA: 0.1 mg/m³Cu dust, fume, mist	IDLH: 100 mg/m <sup>3</sup> dust, fume and mist TWA: 1 mg/m <sup>3</sup> dust and mist TWA: 0.1 mg/m <sup>3</sup> fume

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

### Appropriate engineering controls

Engineering Measures Showers Eyewash stations Ventilation systems

#### Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body Protection Respiratory Protection	Safety glasses with side-shields. Protective gloves. Long sleeved clothing. No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.
Hygiene Measures	When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical State Odor	Semi-fluid (gel) Petroleum Oil-Pungent	Appearance Odor Threshold	Black No information available
<u>Property</u>	Values_	<u>Remarks/</u>	Method
рН	Neutral	None known	1
Melting Point/Range	> 260 °C	None known	1
<b>Boiling Point/Boiling Range</b>	< 316 °C	None known	1
Flash Point	> 221 °C	None known	1
Evaporation rate	No data available	None known	1
Flammability (solid, gas)	No data available	None known	1
Flammability Limits in Air			
upper flammability limit	No data available		
lower flammability limit	No data available		
Vapor Pressure	No data available	None known	
Vapor Density	No data available	None known	
Specific Gravity	1.17	None known	
Water Solubility	Insoluble in water.	None known	
Solubility in other solvents	Largely.	None known	
Partition coefficient: n-octano	l/water No data available	None knowr	n
Autoignition Temperature	No data available	None knowr	n
Decomposition Temperature	No data available		
None known			
Viscosity	No data available	None known	1
Flammable Properties	Not flammable		
Explosive Properties	No data available		
Page 4 / 9			

No data available

#### Other information

VOC Content (%) VOC (g/l) No data available None

## **10. STABILITY AND REACTIVITY**

## Reactivity

No data available.

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### **Conditions to avoid**

Incompatible products.

## Incompatible materials

Strong oxidizing agents. Acetylene. Vinyl compounds.

#### Hazardous decomposition products

None known based on information supplied.

## **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information.
Inhalation	None known.
Eye Contact	None known.
Skin Contact	None known.
Ingestion	Not an expected route of exposure. May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Molybdenum (IV) sulfide	-	-	> 2820 mg/m₃( Rat ) 4 h

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization

No information available.

Mutagenic Effects	No information available.
Carcinogenicity	Contains no ingredients above reportable quantities listed as a carcinogen.
Reproductive Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration Hazard	No information available.

#### Numerical measures of toxicity - Product

Acute Toxicity23% of the mixture consists of ingredient(s) of unknown toxicity.The following values are calculated based on chapter 3.1 of the GHS document:LD50 Oral2372 mg/kg; Acute toxicity estimate

## **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Aquatic toxicity is unlikely due to low solubility. Based on available data, the classification criteria are not met Lc50/48h/Acartia tonsa = >1000 mg/L EC50/72h/Skeletonema costatum = >1000 mg/L LC50/96h/Scophthalmus maximus = >1000 mg/L

Sea sediment LC50/10d/Corophium sp. = 925 - 3502 mg/kg

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc. 74869-21-9	>1001 mg/l	LC50 96 h: > 2000 mg/L (Salmo gairdneri)		
Copper 7440-50-8	EC50 96 h: 0.031 - 0.054 mg/L static (Pseudokirchneriella subcapitata) EC50 72 h: 0.0426 - 0.0535 mg/L static (Pseudokirchneriella subcapitata)	LC50 96 h: = 0.052 mg/L flow-through (Oncorhynchus mykiss) LC50 96 h: = 0.112 mg/L flow-through (Poecilia reticulata) LC50 96 h: = 0.2 mg/L flow-through (Pimephales promelas) LC50 96 h: = 0.3 mg/L semi- static (Cyprinus carpio) LC50 96 h: = 0.8 mg/L static (Cyprinus carpio) LC50 96 h: = 1.25 mg/L static (Lepomis macrochirus)		EC50 48 h: = 0.03 mg/L Static (Daphnia magna)

Persistence and Degradability

No information available.

#### **Bioaccumulation**

No information available.

#### **Other Adverse Effects**

No information available.

## **13. DISPOSAL CONSIDERATIONS**

Waste Disposal Methods	Dispose of in accordance with local regulations. Where possible recycling is preferred to disposal or incineration.
Contaminated Packaging	Do not re-use empty containers.

## **14. TRANSPORT INFORMATION**

DOT

Not regulated

## **15. REGULATORY INFORMATION**

# International Inventories

### Leaend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

## Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Copper		Х	X	

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Copper	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

### U.S. State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Graphite	Х	Х	Х		Х
Calcium carbonate	Х	Х	Х		
Mica	Х	Х	Х		Х
Molybdenum (IV) sulfide		Х			

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
<u>NFPA</u>	Health Hazard 0	Flammability 1	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health Hazard 0	Flammability 1	Physical Hazard 0	Personal Protection X

Prepared By	Product Stewardship
	23 British American Blvd.
	Latham, NY 12110
	1-800-572-6501
Issuing Date	01-Jun-2015
Revision Date	15-Mar-2017
Revision Note	Updated company information.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**